**DOCKET NO. 1293.1225** 

T-666

P.003/007 F-074

# SERIAL NO. 09/903,630

## IN THE CLAIMS:

Please CANCEL claims 1-44 without prejudice or disclaimer, and ADD claims 45-64 as follows:

# 1-44, (CANCELED)

- 45. (NEW) A reproduction apparatus for reproducing contents, comprising:
- an identifier provider for providing an identifier of the contents;
- a network connector; and

From-STAAS & HALSEY

- a controller for transmitting the contents identifier provided by the identifier provider as a Cookie file to a server system, which provides additional information corresponding to the contents through the network connector, and receiving the additional information provided from the server system through the network connector.
- 46. (NEW) The reproduction apparatus of claim 45, further comprising a reading unit for reading data from at least one storage medium, in which the contents are stored, and reads the contents identifier from the at least one storage medium, wherein the identifier provider provides the read contents identifier read from the at least one storage medium to the controller.
- 47. (NEW) The reproduction apparatus of claim 45, further comprising a reading unit for reading data from at least one storage rhedium in which the contents are stored, and reads an international standard recording code (IBRC) from the at least one storage medium, wherein the identifier provider receives the ISRC read and provides the ISRC as the contents identifier to the controller.
  - 48. (NEW) The reproduction apparatus of claim 45, further comprising: a reading unit for reading the contents from at least one storage medium in which the
- contents are stored; and a reproducer for reproducing contents lead by the reading unit.
- 49. (NEW) The reproduction apparatus of claim 48, wherein the reproducer further comprises a decoder for decoding the read contents.

## SERIAL NO. 09/903,630

#### **DOCKET NO. 1293.1225**

50. (NEW) The reproduction apparatus of claim 49, wherein the reproducer further comprises:

a speaker for receiving audio data output from the decoder and delivering sound; and a display apparatus for receiving video data output from the decoder and displaying images.

51. (NEW) A server system providing additional information items, comprising:
an additional information database which stores additional information items with respect
to a plurality of contents; and

a server for receiving an identifier of predetermined contents from a reproduction apparatus for reproducing the contents, retrieving one of the additional information items corresponding to the contents identifier from the additional information data base, and transmitting the retrieved one additional information item to the reproduction apparatus.

- 52. (NEW) The server system providing additional information of claim 51, wherein the contents identifier is recorded in at least one recording medium on which the contents are recorded.
  - 53. (NEW) The server system of claim \$1, wherein:

an international standard recording code (ISRC) is recorded in at least one recording medium on which the contents are recorded, and

the server receives the ISRC code as the contents identifier, retrieves the one of the additional information items mapped to the ISRC code from the additional information database, and transmits the retrieved one additional information item to the reproduction apparatus.

54. (NEW) The server system of claim \$1, wherein:

the server transmits the additional information item corresponding to the received contents identifier to the reproduction apparatus, and

the reproduction apparatus comprises:

an identifier provider for providing the identifier of the contents,

a network connector, and

a controller for receiving the contents identifier from the identifier provider, transmitting the provided contents identifier to the server through the network connector, receiving the additional information item provided from the server through the network connector

1

#### 4:52pm From-STAAS & HALSEY

# SERIAL NO. 09/903,630

**DOCKET NO. 1293.1225** 

corresponding to the transmitted contents identifier, and displaying the received additional information item.

55. (NEW) The server system of claim 54, wherein:

the reproduction apparatus further comprises a reading unit for reading data from at least one storage medium,

the at least one storage medium stores the contents,

the identifier provider provides the contents identifier read from the at least one storage medium to the controller, and

the controller receives the contents identifier from the reproduction apparatus for transmitting the contents identifier provided by the identifier provider through the network connector to the server.

- 56. (NEW) The server system of claim 55, wherein the server receives an International standard recording code (ISRC) read from the at least one storage medium by the reading unit and provides the received ISRC code as the contents identifier to the controller.
- 57. (NEW) The server system of claim \$1, wherein the server receives the contents identifier from a browser installed in a controller of the reproduction apparatus.
- 58. (NEW) The server system of claim 57, wherein the server receives the contents identifier from the browser installed in the controller of the reproduction apparatus as a Cookie file.
- 59. (NEW) An information storage medium for use with a recording and/or reproducing apparatus and comprising a Cookie program which implements a method of generating a Cookie file having an identifier of predetermined contents used by the apparatus, the Cookie file being transmitted by the apparatus to a server system providing additional information through a network connector of the apparatus in response to the send Cookie file.
- 60. (NEW) The information storage medium of claim 59, wherein the contents identifier is read from a recording medium on which the contents are stored.

# SERIAL NO. 09/903,630

## DOCKET NO. 1293.1225

- 61. (NEW) The information storage medium of claim 59, wherein the contents identifier is an international standard recording code (ISRC) read from a recording medium.
- 62. (NEW) The information storage medium of claim 60, wherein the Cookie file is prepared by the apparatus and is stored the Cookie file including the contents identifier read from the recording medium.
- 63. (NEW) The information storage medium of claim 60, wherein the Cookie file is prepared by a browser provided in the apparatus and is stored, the Cookie file including the contents identifier read from the recording medium.
- 64. (NEW) The information storage medium of claim 60, wherein the Cookie file is prepared by a browser provided in the apparatus and is stored, the Cookie file being transmitted to the server system providing additional information through a network.

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

# **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
□ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потира

# IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.